

2020 Energy Star® Qualification Chart

Classic-Craft® Opaque & Lip-Lite Fiberglass Doors



Glass Designs																
6'8" Height Doors																
Glass Size (Inches)	25x66	25x51*	25x42*		21x35	25x35	15x38			10x42				10x8		
Decorative Glass	.26/.27	.26/.27	.23/.20		.21/.15	.21/.15	.21/.15			.18/.08						
Decorative Glass – Wrought Iron	.32/.26	.32/.26	.28/.20													
Privacy & Textured Glass	.26/.27	.26/.27	.23/.20													
Satin Etch						.21/.15										
Low-E Glass	.26/.15	.26/.15	.23/.11		.21/.09	.21/.09	.21/.09			.18/.05				.18/.05		
Opaque*														.14/.01	.18/.01	
Fire Opaque														.19/.00		
8'0" Height Doors																
Glass Size (Inches)		25x66	21x51*	31x51*						8x42	10x42					
Decorative Glass		.26/.27	.26/.27	.26/.27												
Decorative Glass – Wrought Iron		.32/.26	.32/.26	.32/.26												
Privacy & Textured Glass		.26/.27	.26/.27	.26/.27												
Low-E Glass		.26/.15	.26/.15	.26/.15						.18/.05	.18/.05					
Opaque														.14/.01		
Fire Opaque														.19/.00		

*Also includes arch and round top lites or door slabs.

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

2020 Energy Star® Qualification Chart

Classic-Craft® Fiberglass Doors Featuring EnLiten™ Flush-Glazed Designs



Glass Designs																				
6'8" Height Doors																				
Glass Size (Inches)	26x66							26x18							8x66	8x52	8x45	8x35	8x41	8x18
Decorative Glass								.22/.15						.22/.15	.19/.08	.19/.08	.19/.08	.19/.08	.19/.08	.19/.08
Privacy & Textured Glass	.30/.28							.22/.15						.22/.15						.19/.08
Satin Etch														.22/.15						
Low-E Glass	.27/.16							.21/.09						.21/.09	.18/.05	.18/.05	.18/.05	.18/.05	.18/.05	.18/.07
8'0" Height Doors																				
Glass Size (Inches)	26x80							30x24	26x18						8x80					
Decorative Glass								.22/.15	.22/.15					.22/.15						
Privacy & Textured Glass	.30/.28							.22/.15	.22/.15					.22/.15						
Low-E Glass	.27/.16							.21/.09	.21/.09					.21/.09						

*Also includes arch and round top lite.

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

2020 Energy Star® Qualification Chart

Fiber-Classic® & Smooth-Star® Opaque & Lip-Lite Fiberglass Doors



Glass Designs																											
	6'8" Height Doors				6'8" Height Doors				6'8" Height Doors				6'8" Height Doors				6'8" Height Doors				6'8" Height Doors				6'8" Height Doors		
Glass Size (Inches)	22x64	20x64	16x64	14x64	22x47	22x36**	20x36	22x36	22x27	8x36**	16x40	21x15	8x42R	8x36	22x10A	22x10R	22x6	8x6					7x64	8x47	8x36**	8x44S	
Decorative Glass	.26/.27	.26/.27	.23/.20		.23/.20	.21/.15	.21/.15	.21/.15	.21/.15	.21/.15	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08			.18/.08					.18/.08	.18/.08	.18/.08	.18/.08	
Decorative Glass – Wrought Iron	.32/.26	.32/.26			.28/.20	.25/.15	.25/.15	.25/.15	.25/.15	.25/.15		.20/.08	.20/.08	.20/.08									.20/.08	.20/.08	.20/.08		
Frosted Glass	.32/.30	.32/.30			.28/.23	.25/.17		.25/.17	.25/.17	.25/.17	.24/.17												.20/.09		.20/.09		
Privacy & Textured Glass	.26/.27	.26/.27			.23/.20	.21/.15		.21/.15	.21/.15	.21/.15		.18/.08	.18/.08	.18/.08				.18/.08					.18/.08	.18/.08	.18/.08		
Grilles Between Glass	.34/.26	.34/.26			.28/.20	.25/.15	.25/.15	.25/.15	.25/.15	.25/.15				.20/.08	.20/.08	.20/.08							.20/.08	.20/.08	.20/.08		
Low-E Grilles Between Glass	.29/.14	.29/.14			.23/.10	.22/.08	.22/.08	.22/.08	.22/.08	.22/.08				.19/.04	.19/.04	.19/.04							.19/.04	.18/.04	.18/.04		
Miniblinds	.36/.25	.36/.25	.30/.18		.30/.18	.26/.14	.26/.14	.26/.14	.26/.14					.21/.07									.21/.06	.21/.06	.21/.06		
Low-E Miniblinds	.31/.21	.31/.21	.27/.15		.27/.15	.24/.12	.24/.12	.24/.12	.24/.12					.20/.06									.20/.06	.20/.06	.20/.06		
Clear	.34/.30	.34/.30		.25/.17	.28/.23	.25/.17	.25/.17	.25/.17	.25/.17		.24/.17		.20/.09	.20/.09	.20/.09		.20/.09	.20/.09					.20/.09	.20/.09	.20/.09	.20/.09	
Low-E Glass	.29/.16	.29/.16	.25/.12	.22/.09	.23/.11	.22/.09	.22/.09	.22/.09	.22/.09		.21/.09	.18/.07	.18/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05					.19/.05	.18/.05	.18/.05	.18/.05	
Opaque																			.14/.01	.17/.01	.18/.01	.18/.01					
Fire Opaque																				.18/.00	.19/.01	.20/.01	.20/.01				
8'0" Height Doors																											
Glass Size (Inches)	22x80	20x80		14x80	22x64	22x47		22x47				21x15		8x36	22x10A	22x10R		8x6					7x80	7x64	8x47		
Decorative Glass	.26/.27	.26/.27			.26x.27	.23/.20		.23/.20				.18/.08		.18/.08	.18/.08			.18/.08					.21/.15	.18/.08	.18/.08		
Decorative Glass – Wrought Iron	.32/.26	.32/.26			.32/.26	.28/.20		.28/.20				.20/.08		.20/.08									.25/.15	.20/.08	.20/.08		
Frosted Glass	.32/.30	.32/.30			.32/.30	.28/.23		.28/.23																	.20/.09		
Privacy & Textured Glass	.26/.27	.26/.27			.26/.27	.23/.20		.23/.20				.18/.08		.18/.08				.18/.08					.21/.15	.18/.08	.18/.08		
Grilles Between Glass	.34/.26	.34/.26			.34/.26	.28/.20		.28/.20						.20/.08	.20/.08	.20/.08							.24/.15	.20/.08	.20/.08		
Low-E Grilles Between Glass	.29/.14	.29/.14			.29/.14	.23/.10		.23/.10						.19/.04	.19/.04	.19/.04							.21/.08	.19/.04	.18/.04		
Miniblinds	.36/.25	.36/.25			.36/.25	.30/.18		.30/.18						.21/.07									.26/.14	.21/.06	.21/.06		
Low-E Miniblinds	.31/.21	.31/.21			.31/.21	.27/.15		.27/.15						.20/.06									.24/.12	.20/.06	.20/.06		
Clear	.34/.30	.34/.30		.28/.23	.34/.30	.28/.23		.28/.23						.20/.09	.20/.09			.20/.09					.24/.17	.20/.09	.20/.09		
Low-E Glass	.29/.16	.29/.16			.29/.16	.23/.11		.23/.11				.18/.07		.19/.05	.19/.05	.19/.05		.19/.05					.21/.09	.19/.05	.18/.05		
Opaque																			.14/.01	.17/.01	.18/.01	.18/.01					
Fire Opaque																				.18/.00	.19/.01	.20/.01	.20/.01				

*Represents shaker panels.
 **Also includes arch and round top lite.

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

2020 Energy Star® Qualification Chart

Fiber-Classic® & Smooth-Star® Fiberglass Doors
Featuring EnLiten™ Flush-Glazed Designs



Glass Designs												
	6'8" Height Doors											
Glass Size (Inches)	27x64	25x64	21x64	20x64	14x64	25x48	21x48	22x36	23x16	7x64	8x47	8x16
Privacy & Textured Glass	.31/.27	.31/.27		.31/.27		.31/.27	.27/.20		.21/.08	.19/.08		.21/.08
Grilles Between Glass	.34/.26	.34/.26		.34/.26		.34/.26	.29/.20	.25/.15		.20/.08	.20/.08	
Low-E Grilles Between Glass	.28/.15	.28/.15		.28/.15		.28/.15	.25/.10	.22/.08		.18/.04	.18/.04	
Clear	.32/.30	.32/.30		.32/.30	.25/.17	.32/.30	.28/.23	.25/.17		.20/.09	.20/.09	
Low-E Glass	.26/.15	.26/.15		.26/.15	.21/.09	.26/.15	.23/.12	.21/.09	.20/.07	.18/.05		.20/.07
Miniblinds		.36/.25	.36/.25									
Low-E Miniblinds		.31/.21	.31/.21									
8'0" Height Doors												
Glass Size (Inches)		25x80	21x80		14x80	25x64	20x64		23x16	7x80		8x16
Privacy & Textured Glass		.31/.27	.31/.27			.31/.27	.31/.27		.21/.08	.24/.15		.21/.08
Grilles Between Glass		.34/.26	.34/.26			.34/.26	.34/.26					
Low-E Grilles Between Glass		.28/.15	.28/.15			.28/.15	.28/.15					
Clear		.32/.30	.32/.30		.32/.30	.32/.30	.32/.30					
Low-E Glass		.26/.15	.26/.15		.26/.15	.26/.15	.26/.15		.20/.07	.22/.08		.20/.07
Miniblinds		.36/.25	.36/.25									
Low-E Miniblinds		.31/.21	.31/.21									

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

2020 Energy Star® Qualification Chart

Fiber-Classic® & Smooth-Star® Impact Rated Fiberglass Doors



Glass Designs													
6'8" Height Doors													
Glass Size (Inches)	22x64	20x64	16x64	14x64	22x47	22x36	20x36	22x36	21x15	8x36	7x64	8x47	8x36
Decorative Glass	.28/.26	.28/.26			.24/.19	.22/.14	.22/.14	.22/.14	.18/.07	.18/.07	.18/.07	.18/.07	.18/.07
Decorative Glass – Wrought Iron	.30/.25	.30/.25			.26/.18	.23/.14		.23/.14	.19/.07	.19/.07	.19/.07	.19/.07	.19/.07
Frosted Glass	.30/.28	.30/.28			.26/.18	.23/.16		.23/.16		.19/.08	.19/.08		.19/.08
Privacy & Textured Glass	.28/.26				.24/.19	.22/.14		.22/.14	.18/.07	.18/.07	.18/.07	.18/.07	.18/.07
Grilles Between Glass	.31/.25	.31/.25		.23/.14	.27/.18	.23/.14		.23/.14		.19/.07	.19/.07	.19/.07	.19/.07
Low-E Grilles Between Glass	.25/.13	.25/.13		.20/.07	.22/.10	.20/.07		.20/.07		.17/.04	.17/.04	.17/.04	.17/.04
Miniblinds	.34/.23	.34/.23	.29/.17		.29/.17	.25/.13					.20/.06	.20/.06	.20/.06
Low-E Miniblinds	.30/.23	.30/.23	.26/.17		.26/.17	.23/.13					.19/.06	.19/.06	.19/.06
Clear Glass	.30/.28	.30/.28		.23/.16	.26/.18	.23/.16	.23/.16	.23/.16		.19/.08	.19/.08	.19/.08	.19/.08
Low-E Glass	.24/.15	.24/.15		.20/.09	.21/.11	.20/.09	.20/.09	.20/.09	.19/.07	.19/.07	.19/.07	.19/.07	.19/.07
8'0" Height Doors													
Glass Size (Inches)	22x80	20x80		14x80	22x64	22x47		22x47	21x15	8x36	7x80	7x64	8x47
Decorative Glass	.28/.26	.28/.26			.28/.26	.24/.19		.24/.19	.18/.07	.18/.07	.22/.14	.18/.07	.18/.07
Decorative Glass – Wrought Iron	.30/.25	.30/.25			.30/.25	.26/.18		.26/.18	.19/.07	.19/.07	.23/.14	.19/.07	.19/.07
Frosted Glass	.30/.28	.30/.28			.30/.28	.26/.18		.26/.18		.19/.08	.23/.16	.19/.08	
Privacy & Textured Glass	.28/.26				.28/.26	.24/.19		.24/.19	.18/.07	.18/.07	.22/.14	.18/.07	.18/.07
Grilles Between Glass	.31/.25	.31/.25			.31/.25	.27/.18		.27/.18		.19/.07	.23/.14	.19/.07	.19/.07
Low-E Grilles Between Glass	.25/.13	.25/.13			.25/.13	.22/.10		.22/.10		.17/.04	.20/.07	.17/.04	.17/.04
Miniblinds	.34/.23	.34/.23			.34/.23	.29/.17					.25/.13	.20/.06	.20/.06
Low-E Miniblinds	.30/.23	.30/.23			.30/.23	.26/.17					.23/.13	.19/.06	.19/.06
Clear Glass	.30/.28	.30/.28		.26/.18	.30/.28	.26/.18		.26/.18		.19/.08	.23/.16	.19/.08	.19/.08
Low-E Glass	.24/.15	.24/.15		.21/.11	.24/.15	.21/.11		.21/.11	.19/.07	.19/.07	.20/.09	.19/.07	.19/.07

Note: Impact-Rated products on this page utilize impact rated glass and structural door slabs.

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

2020 Energy Star® Qualification Chart

Steel Opaque & Lip-Lite Doors



Glass Designs																								
6'8" Height Doors																								
Glass Size (Inches)	22x64	20x64	16x64	14x64	22x47	22x36*	20x36	22x27	8x36*	16x40	8x42R	22x10A	22x10R	21x15	22x6	7x18	8x6		7x64	8x47	8x36*	8x44S	8x6	
Decorative Glass	.26/.27	.26/.27	.23/.20		.23/.20	.21/.15	.21/.15		.21/.15	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08			.18/.08		.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08
Decorative Glass – Wrought Iron	.33/.26	.33/.26			.28/.20	.25/.15	.25/.15		.25/.15		.20/.08			.20/.08					.18/.08	.20/.08	.20/.08			
Frosted Glass	.34/.30	.34/.30			.28/.23	.26/.17			.26/.17	.25/.17			.20/.09						.20/.09		.20/.09			
Privacy & Textured Glass	.26/.27				.23/.20	.21/.15			.21/.15								.18/.08		.18/.08	.18/.08	.18/.08		.18/.08	
Grilles Between Glass	.34/.26				.28/.20	.25/.15			.25/.15			.20/.08	.20/.08						.20/.08	.20/.08	.20/.08			
Low-E Grilles Between Glass	.29/.14	.29/.14			.23/.10	.23/.08			.23/.08			.19/.04	.18/.04						.19/.04	.18/.04	.19/.04			
Miniblinds	.35/.25	.35/.25	.30/.18		.30/.18	.27/.14	.27/.14												.21/.07	.21/.07	.21/.07			
Low-E Miniblinds	.31/.21	.31/.21	.27/.15		.27/.15	.24/.12	.24/.12												.20/.06	.20/.06	.20/.06			
Clear Glass	.34/.30	.34/.30		.26/.17	.28/.23	.26/.17	.26/.17	.26/.17	.26/.17	.25/.17	.20/.09	.20/.09	.20/.09		.20/.09	.20/.09	.20/.09		.20/.09	.20/.09	.20/.09	.20/.09	.20/.09	.20/.09
Low-E Glass	.29/.16	.29/.16	.25/.12	.23/.09	.23/.11	.23/.09	.23/.09	.23/.09	.23/.09	.21/.09	.18/.05	.19/.05	.19/.05	.18/.05	.19/.05	.18/.05	.19/.05		.19/.05	.18/.05	.19/.05	.18/.05	.19/.05	.19/.05
Opaque																		.14/.01						
8'0" Height Doors																								
Glass Size (Inches)	22x80	20x80			22x64	22x47						22x10A			22x6		8x6		7x80					
Decorative Glass	.26/.27	.26/.27			.26/.27	.23/.20						.18/.08					.18/.08		.21/.15					
Decorative Glass – Wrought Iron	.33/.26	.33/.26			.33/.26	.28/.20													.25/.15					
Frosted Glass	.34/.30	.34/.30			.34/.30	.28/.23																		
Privacy & Textured Glass	.26/.27	.26/.27			.26/.27	.23/.20											.18/.08		.21/.15					
Grilles Between Glass	.34/.26	.34/.26			.34/.26	.28/.20						.20/.08							.25/.15					
Low-E Grilles Between Glass	.29/.14	.29/.14			.29/.14	.23/.10						.19/.04							.21/.08					
Miniblinds	.35/.25	.35/.25			.35/.25	.30/.18													.27/.14					
Low-E Miniblinds	.31/.21	.31/.21			.31/.21	.27/.15													.24/.12					
Clear Glass	.34/.30	.34/.30			.34/.30	.28/.23						.20/.09			.20/.09		.20/.09		.25/.17					
Low-E Glass	.29/.16	.29/.16			.29/.16	.23/.11						.19/.05			.19/.05		.19/.05		.21/.09					
Opaque																		.14/.01						

*Also includes arch and round top lite.

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

2020 Energy Star® Qualification Chart

Steel Impact Rated Doors



Glass Designs												
6'8" Height Doors												
Glass Size (Inches)	22x64	20x64	16x64	14x64	22x47	22x36	20x36	21x15	8x36	7x64	8x47	8x36
Decorative Glass	.28/.26	.28/.26			.25/.19	.22/.14	.22/.14	.18/.07	.18/.07	.18/.07	.18/.07	.18/.07
Decorative Glass – Wrought Iron	.30/.25				.26/.18	.23/.14		.19/.07	.19/.07	.19/.07	.19/.07	.19/.07
Frosted Glass	.30/.28	.30/.28			.26/.21	.23/.16			.19/.08	.19/.08		.19/.08
Privacy & Textured Glass	.28/.26				.25/.19	.22/.14			.18/.07	.18/.07	.18/.07	.18/.07
Grilles Between Glass	.31/.25	.31/.25			.27/.18	.24/.14			.19/.07	.19/.07		.19/.07
Low-E Grilles Between Glass	.25/.13	.25/.13			.23/.10	.21/.08			.18/.04	.18/.04		.18/.04
Miniblinds	.35/.23	.35/.23	.30/.17		.30/.17	.26/.13	.26/.13			.21/.06	.21/.06	.21/.06
Low-E Miniblinds	.30/.23	.30/.23	.26/.17		.26/.17	.23/.13	.23/.13			.19/.06	.19/.06	.19/.06
Clear Glass	.30/.28	.30/.28		.23/.16	.26/.21	.23/.16	.23/.16		.19/.08	.19/.08	.19/.08	.19/.08
Low-E Glass	.24/.15	.24/.15		.20/.09	.21/.11	.20/.09	.20/.09	.17/.05	.17/.05	.17/.05	.17/.05	.17/.05
8'0" Height Doors												
Glass Size (Inches)	22x80	20x80		14x80		22x47				7x80		
Decorative Glass	.28/.26	.28/.26				.25/.19				.22/.14		
Decorative Glass – Wrought Iron	.30/.25					.26/.18				.23/.14		
Frosted Glass	.30/.28	.30/.28				.26/.21				.23/.16		
Privacy & Textured Glass	.28/.26					.25/.19				.22/.14		
Grilles Between Glass	.31/.25	.31/.25				.27/.18				.24/.14		
Low-E Grilles Between Glass	.25/.13	.25/.13				.23/.10				.21/.08		
Miniblinds	.35/.23	.35/.23				.30/.17				.26/.13		
Low-E Miniblinds	.30/.23	.30/.23				.26/.17				.23/.13		
Clear Glass	.30/.28	.30/.28		.26/.21		.26/.21				.23/.16		
Low-E Glass	.24/.15	.24/.15		.21/.11		.21/.11				.20/.09		

Note: Impact-Rated products on this page utilize impact rated glass.

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

2020 Energy Star® Qualification Chart

Pulse® Fiberglass Lip-Lite Doors



Glass Designs								
6'8" Height Doors								
Glass Size (Inches)	21x15	7x64	8x6	8x6	8x6	8x6	8x6	8x6
Decorative Glass	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08
Decorative Glass – Wrought Iron	.25/.15	.20/.08						
Privacy & Textured Glass	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08
Low-E Glass	.22/.14	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05

Glass Designs										
8'0" Height Doors										
Glass Size (Inches)	21x15	7x80	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6
Decorative Glass	.26/.27	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08
Decorative Glass – Wrought Iron	.32/.26	.25/.15								
Privacy & Textured Glass	.26/.27	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08
Low-E Glass	.27/.25	.21/.09	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

2020 Energy Star® Qualification Chart

Pulse® Fiberglass Impact Rated Doors



Glass Designs	
6'8" Height Doors	
Glass Size (Inches)	7x64
Decorative Glass	.18/.07
Decorative Glass – Wrought Iron	.19/.07
Privacy & Textured Glass	.18/.07
Low-E Glass	.19/.08
8'0" Height Doors	
Glass Size (Inches)	7x80
Decorative Glass	.22/.14
Decorative Glass – Wrought Iron	.23/.14
Privacy & Textured Glass	.22/.14
Low-E Glass	.20/.09

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

Note: Impact-Rated products on this page utilize impact rated glass.

2020 Energy Star® Qualification Chart

Pulse® Steel Lip-Lite Doors



Glass Designs								
6'8" Height Doors								
Glass Size (Inches)	21x15	7x64	8x6	8x6	8x6	8x6	8x6	8x6
Decorative Glass	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08
Decorative Glass – Wrought Iron	.25/.15	.20/.08						
Privacy & Textured Glass	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08
Low-E Glass	.22/.14	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05

Glass Designs										
8'0" Height Doors										
Glass Size (Inches)	21x15	7x80	8x6	8x6	8x6	8x6	8x6	8x6	8x6	8x6
Decorative Glass	.26/.27	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08
Decorative Glass – Wrought Iron	.33/.26	.25/.15								
Privacy & Textured Glass	.26/.27	.21/.15	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08	.18/.08
Low-E Glass	.27/.25	.21/.09	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05	.19/.05

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

2020 Energy Star® Qualification Chart

Pulse® Steel Impact Rated Doors



Glass Designs	
6'8" Height Doors	
Glass Size (Inches)	7x64
Decorative Glass	.18/.07
Decorative Glass – Wrought Iron	.19/.07
Privacy & Textured Glass	.18/.07
Low-E Glass	.17/.05
8'0" Height Doors	
Glass Size (Inches)	7x80
Decorative Glass	.22/.14
Decorative Glass – Wrought Iron	.23/.14
Privacy & Textured Glass	.22/.14
Low-E Glass	.20/.09

KEY	Indicates Product is Energy Star Qualified in all 50 States	Numbers: U-Factor / Solar Heat Gain Coefficient x: Indicates Product Availability
	Indicates Product is Energy Star Qualified in Northern Zone	
	Indicates Product is NOT Energy Star Qualified	

Note: Impact-Rated products on this page utilize impact rated glass.